

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings of claims in the application:

**Listing of Claims:**

1. (currently amended) A computer system configured of a plurality of computers, a plurality of storage subsystems, and a storage management computer, comprising:  
said plurality of computers having means for transmitting an input/output request and input/output data between said computers and said storage subsystems through at least one of a first physical communication medium and a second physical communication medium, both of which interconnect said computers with said storage subsystems; ~~and~~  
said plurality of storage subsystems including first storage device to be accessed by said plurality of computers according to a first input/output access protocol of computers according to a first input/output access protocol and second storage devices to be accessed by said plurality of computers according to a second input/output access protocol; and  
said storage management computer connected with said storage subsystems through said first and second physical communication mediums and having,  
a display apparatus ~~being connected with said storage subsystems through said first and second physical communication mediums,~~ and  
a physical view display means for executing displaying physical connecting relation on said display apparatus in one of
  - (a) a first display ~~method~~ mode of displaying said computers and said storage subsystems interconnected through said first physical communication medium and their connecting relation (topology) ~~on said display apparatus,~~
  - (b) a second display ~~method~~ mode of displaying said computers and said storage subsystems interconnected through said second physical communication medium and their connecting relation (topology), and
  - (c) a ~~method~~ third mode of ~~executing~~ displaying the physical connecting relation both of said first and second display ~~methods~~ modes at a time,

a logical view display means for displaying logical connecting relation on said display apparatus in one of

(d) a fourth display mode for displaying said computers, said first storage devices and their topology, and

(e) a fifth display mode for displaying said computers, said second storage devices and their topology,

(f) a sixth mode of displaying the logical connecting relation both of said third and fourth display modes at a time,

(g) a seventh display mode for displaying unused storage device, and

(h) an eighth display mode for displaying connection between said computers and said first and second storage devices under access limitation, and

means for allowing a user to select one of said first to eighth display modes.

2. (canceled)

3. (currently amended) A computer system as claimed in claim 2 1, wherein said first input/output access protocol is a fixed-length block access protocol and said second access protocol is a file access protocol.

4. (original) A computer system as claimed in claim 1, wherein said first physical communication medium is the Ethernet and said second physical communication medium is the Fibre channel.

5. (original) A computer system as claimed in claim 3, wherein at least one of said second storage devices is a storage device to be accessed by one of said computers according to said first input/output access protocol.

6. (currently amended) In a computer system configured of a plurality of storage subsystems, a plurality of computers for transmitting an input/output request and input/output data between said computers themselves and said storage subsystems through at least one of a first physical communication medium and a second physical communication

medium, and a storage management computer being connected with said storage subsystems through said first and second physical communication mediums and having a display apparatus, a storage management method executed by said storage management computer comprising the steps of:

obtaining first display information used for displaying said computers and said storage subsystems interconnected through said first physical communication medium and their connecting relation (topology) on said display apparatus;

obtaining second display information used for displaying said computers and said storage subsystems interconnected through said second physical communication medium and their connecting relation (topology) on said display apparatus; and

~~displaying on said display apparatus at least one of said first display information and said second display information on the basis of an indication entered into said storage management computer~~

obtaining third display information used for displaying a topology between a first storage device to be accessed by said computers according to a first input/output access protocol, said first storage device being included in said storage subsystems, and said computers,

obtaining fourth display information used for displaying a topology between a second storage device to be accessed by said computers according to a second input/output access protocol, said second storage device being included in said storage subsystems, and said computers,

obtaining fifth display information used for displaying unused storage devices,

obtaining sixth display information for displaying connection between said computers and said first and second storage devices under access limitation, and

displaying at least one of said first to sixth display information on the basis of an indication entered into said storage management computer.

7. (canceled)